





		Premier Gypsum Board	
		Standard	Water Resistant
PRODUCT NAME		Standard 10mm 2070101 - GYPSUM BOARD STANDARD 2400X1200x10mm 2070102 - GYPSUM BOARD STANDARD 2700X1200x10mm 2070103 - GYPSUM BOARD STANDARD 3000X1200x10mm Standard 13mm 2070104 - GYPSUM BOARD STANDARD 2400X1200x13mm 2070105 - GYPSUM BOARD STANDARD 2700X1200x13mm 2070106 - GYPSUM BOARD STANDARD 3000X1200x13mm	Water Resistant 10mm 2070107 - GYPSUM BOARD WATER RESISTANT 2400X1200x10mm 2070108 - GYPSUM BOARD WATER RESISTANT 2700X1200x10mm 2070109 - GYPSUM BOARD WATER RESISTANT 3000X1200x10mm Water Resistant 13mm 2070110 - GYPSUM BOARD WATER RESISTANT 2400X1200x13mm 2070111 - GYPSUM BOARD WATER RESISTANT 2700X1200x13mm 2070112 - GYPSUM BOARD WATER RESISTANT 3000X1200x13mm
PRODUCT DESCRIPTION		The Premier Building Products 10 & 13 mm Standard Gypsum Boards, are a new alternative range for the New Zealand market, used typically for general internal linings in buildings.	The Premier Building Products 10 & 13 mm Water-Resistant Gypsum Boards, are a new alternative range for the New Zealand market, used typically for wet-area internal linings in buildings.
PRODUCT USAGE		Comprise a sandwich of paper facings over a gypsum core, with two beveled edges along the long sides to allow for the creation of a monolithic surface ready for stopping to Level 1-5 and applying a decorative finish to walls and ceilings .	Comprise a sandwich of paper facings over a gypsum core, with two beveled edges along the long sides to allow for the creation of a monolithic surface ready for stopping to Level 1-5 and applying a decorative finish to the walls and ceilings of wet areas.
BRAND AND LOGO			
QR CODE		NA	NA
MANUFACTURER DETAIL	LEGAL NAME ADDRESS WEBSITE EMAIL NZBN#	OVERSEA SUPPLIER - FOR MORE INFORMATION, PLEASE CONTACT US	
IMPORTER DETAIL	LEAGA NAME ADDRESS WEBSITE EMAIL NZBN#	Premier Building Products Limited 17A Gabador Place, Mt. Wellington, Auckland, New Zealand www.premierbuildingproducts.co.nz sales@premierbuildingproducts.co.nz 9429047462977	Premier Building Products Limited 17A Gabador Place, Mt. Wellington, Auckland, New Zealand www.premierbuildingproducts.co.nz sales@premierbuildingproducts.co.nz 9429047462977
RELEVANT NZ STANDARD	AS/NZS:	AS/NZS:2588:2018	AS/NZS:2588:2018
TECHNICAL DESCRIPTION		The Premier Building Products (PBP) Standard Gypsum Boards are a range of standard paper faced gypsum products incorporating 10mm and 13mm thick boards of standard sizes used for general linings, suited for residential housing, light commercial and commercial buildings.	The Premier Building Products (PBP) Water-resistant Gypsum Boards are a range of standard paper faced gypsum products incorporating 10mm and 13mm thick boards of standard sizes used for wet area linings, suited for residential housing, light commercial and commercial buildings.
PRODUCT LIMITATION		The design and construction of all supporting substructures and framing shall be to the timber framing requirements of NZS3604 or NASH Standards 1 and 2 for light gauge steel framing, or to specific design, and are therefore the responsibility of the owner/ building designer. The Premier Building Products (PBP) Standard Gypsum Boards must be designed, used and installed in accordance with the technical manual. PBP Standard Gypsum Boards may be used as a bracing element when designed and installed in accordance with the technical manual.	The design and construction of all supporting substructures and framing shall be to the timber framing requirements of NZS3604 or NASH Standards 1 and 2 for light gauge steel framing, or to specific design, and are therefore the responsibility of the owner/ building designer. The Premier Building Products (PBP) Water-resistant Gypsum Boards must be designed, used and installed in accordance with the technical manual. PBP Water-resistant Gypsum Boards may be used as a bracing element when designed and installed in accordance with the technical manual. PBP Water-resistant Gypsum Boards require an NZBC compliant waterproofing membrane applied over them in order to meet the performance requirements of clauses E3.3.4, E3.3.5, and E3.3.6. PBP Water-resistant Gypsum Boards may be used as a substrate for ceramic tiles over a waterproof membrane when used in accordance with the technical manual.
PRODUCT DESIGN	EG. GS1	The design and construction of all supporting substructures and framing shall be to the timber framing requirements of NZS3604 or NASH Standards 1 and 2 for light gauge steel framing, or to specific design, and are therefore the responsibility of the owner/ building designer. PBP Standard Gypsum Boards must be designed and installed in accordance with the technical manual.	The design and construction of all supporting substructures and framing shall be to the timber framing requirements of NZS3604 or NASH Standards 1 and 2 for light gauge steel framing, or to specific design, and are therefore the responsibility of the owner/ building designer. PBP Standard Gypsum Boards must be designed and installed in accordance with the technical manual. PBP Water-resistant Gypsum Boards require an NZBC compliant waterproofing membrane applied over them in order to meet the performance requirements of clauses E3.3.4, E3.3.5, and E3.3.6.
MANUAL	TECHNICAL DATA MANUAL	 PBP GYPSUM BOARD Technical Manual v1.2 (1) conv (expired).pdf	 PBP GYPSUM BOARD Technical Manual v1.2 (1) conv (expired).pdf

MAINTAINANCE	PBP Standard Gypsum Boards will not normally require maintenance. However, if damage occurs to the surface sections of the board may need to be repaired by re-stopping and finishing, or replacing sections.	PBP Water-resistant Gypsum Boards will not normally require maintenance. However, if damage occurs to the surface, sections of the board may need to be repaired by re-waterproofing, re-stopping and finishing, or replacing sections.
RELEVANT BUILDING CODE CLAUSES	SECTION 26 BUILDING ACT 2004 B1.3.3(a) and (j) - Structure B2.3.1(b) - Durability E3.3.4, E3.3.5, and E3.3.6 - Internal Moisture F2.3.1 - Hazardous Building Materials	B1.3.3(a) and (j) - Structure B2.3.1(b) - Durability E3.3.4, E3.3.5, and E3.3.6 - Internal Moisture F2.3.1 - Hazardous Building Materials
STATEMENT ON HOW THE BUILDING PRODUCT IS EXPECTED TO CONTRIBUTE TO COMPLIANCE	B1.3.3(a) and (j) - Structure. Refer to BEAL Appraisal #IL2230 Section 8 B2.3.1(b) - Durability. Refer to BEAL Appraisal #IL2230 Section 8 E3.3.4, E3.3.5, and E3.3.6 - Internal Moisture. Refer to BEAL Appraisal #IL2230 Section 8 F2.3.1 - Hazardous Building Materials. Will not present a health hazard to people.	B1.3.3(a) and (j) - Structure. Refer to BEAL Appraisal #IL2230 Section 8 B2.3.1(b) - Durability. Refer to BEAL Appraisal #IL2230 Section 8 E3.3.4, E3.3.5, and E3.3.6 - Internal Moisture. Refer to BEAL Appraisal #IL2230 Section 8 F2.3.1 - Hazardous Building Materials. Will not present a health hazard to people.