

# Schedule

This schedule supports the Product Certification Certificate for

Linyi City Hedong District Luju International Trading Co., Ltd

ABN

Not Applicable

Head Office Address

Hedong District, Linyi City  
Shandong Province  
China

Holds Certificate Number

BMP 777400

Standard

AS/NZS 2269.0:2012 Plywood—Structural Part 0: Specifications

Issue date

30/04/2025

| Model | BSI Review Date | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 17mm  | 26/10/2022      | Structural Plywood, Mixed Species Veneers, Phenolic Glue<br>F17, F14, F11, F8<br>CC, A-Bond, Super E <sub>0</sub> , 17mm thick<br>17-13-11<br>(I 255.7 mm <sup>4</sup> /mm Z 29.5 mm <sup>3</sup> /mm / I 166.0 mm <sup>4</sup> /mm Z 22.0 mm <sup>3</sup> /mm)<br>Parallel: <i>fb</i> 96.0 Mpa, <i>fs</i> 7.6 Mpa, <i>fc</i> 36.9 Mpa, <i>ft</i> 28.3 Mpa, E = 18949Mpa<br>Perpendicular: <i>fb</i> 53.0 Mpa, <i>fs</i> 7.7 MPa, <i>fc</i> 52.2 MPa, <i>ft</i> 36.9 MPa, E = 15204 Mpa |
| 15mm  | 26/10/2022      | Structural Plywood, Mixed Species Veneers, Phenolic Glue<br>F14, F11, F8<br>CD, A-Bond, Super E <sub>0</sub> , 15mm thick<br>15-05-09<br>(I 126.2 mm <sup>4</sup> /mm Z 16.2 mm <sup>3</sup> /mm / I 162.9 mm <sup>4</sup> /mm Z 22.9 mm <sup>3</sup> /mm)<br>Parallel: <i>fb</i> 52.9 MPa, <i>fs</i> 5.8 MPa, <i>fc</i> 37.4 MPa, <i>ft</i> 33.1 MPa, E 14698 Mpa<br>Perpendicular: <i>fb</i> 42.2 MPa, <i>fs</i> 6.8 MPa, <i>fc</i> 44.4 MPa, <i>ft</i> 39.2 MPa, E 14696 Mpa         |

BMP 777400

30/04/2025 Page 2 of 3



...making excellence a habit.

# Schedule

This schedule supports the Product Certification Certificate for

ABN

Head Office Address

Holds Certificate Number

Standard

Issue date

Linyi City Hedong District Luju International Trading Co., Ltd

Not Applicable

Hedong District, Linyi City  
Shandong Province  
China

BMP 777400

AS/NZS 2269.0:2012, Plywood—Structural, Part 0: Specification

30/04/2025

| Model | BSI Review Date | Description                                                                                                                                |
|-------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 7mm   | 30/04/2025      | F11 and F8 Grade, 7 mm thick, 7 ply structural plywood Radiata and Eucalyptus CD – A Bond – Super E0 -7 (I 14.0-Z 4.0/I 15.4-Z 3.9)        |
| 9mm   | 30/04/2025      | F11 and F8 Grade, 9mm thick, 7 ply structural plywood Radiata and Eucalyptus CD – A Bond – Super E0 -9 (I 30.6-Z 6.6/I 32.0-Z 7.8)         |
| 12mm  | 30/04/2025      | F11 and F8 Grade, 12 mm thick, 9 ply structural plywood Radiata and Eucalyptus CD – A Bond – Super E0 -12 (I 61.6-Z 9.8/I 86.7-Z 15.5)     |
| 19mm  | 30/04/2025      | F11 and F8 Grade, 19 mm thick, 13 ply structural plywood Radiata and Eucalyptus CD – A Bond – Super E0 -19 (I 285.0-Z 29.1/I 302.8-Z 32.9) |

BMP 777400  
30/04/2025 Page 3 of 3